## **AMENDMENTS TO THE CLAIMS:**

The listing of claims will replace all prior versions, and listings of claims in the application:

## LISTING OF THE CLAIMS

- 1. (Original) A solid state lamp comprising:
- a light emitting element;
- a mounting area adapted to contain the light emitting element; and,
- a suspension media disposed between said mounting area and said light emitting element which supportably surrounds the light emitting element within the mounting area.
- 2. (Original) The solid state lamp as set forth in claim 1, wherein the suspension media comprises a substantially optically transparent material.
- 3. (Original) The solid state lamp as set forth in claim 1, wherein the suspension media includes a first layer disposed between the mounting area and the light emitting element, the suspension media further comprising:
  - a second layer covering the light emitting element and the first layer.
- 4. (Original) The solid state lamp as set forth in claim 3, wherein selected ones of the first layer and the second layer comprise a thermally conductive filler.
- 5. (Original) The solid state lamp as set forth in claim 3, wherein selected ones of the first layer and the second layer comprise phosphor.
- 6. (Previously Presented) The solid state lamp as set forth in claim 3, further comprising a third layer disposed between the light emitting element and the second layer.
- 7. (Original) The solid state lamp as set forth in claim 4, wherein the thermally conductive filler comprises at least one nano-particle selected from the set of gold and silver.

- 8. (Currently Amended) The solid state lamp as set forth in claim 3, wherein at least one of the first layer and the second layer comprises single crystal nano-particles.
- 9. (Currently Amended) The solid state lamp as set forth in claim 3, wherein at least one of the first layer and the second layer comprises dielectric nanoparticles.

10 -13. (Canceled)

14. (Currently Amended) A photonic device comprising:

a mounting area;

a spacing element which spaces a semiconductor device from the mounting

area;

means for affixing the semiconductor device substantially within the mounting area which affixing means comprises of an optically transparent media disposed over the semiconductor device and the spacing element, the spacing element and the affixing means surroundingly support the semiconductor device in a suspended state within the mounting area;

where wherein the spacing element includes an optically transparent media disposed between the mounting area and the semiconductor device.

## 15. (Canceled)

- 16. (Currently Amended) The photonic device as set forth in claim 14, where wherein the optically transparent media disposed between the mounting area and the semiconductor device comprises silicone epoxy blended with phosphor particles.
- 17. (Currently Amended) The photonic device as set forth in claim 14, where wherein the optically transparent media disposed between the mounting area and the semiconductor device comprises silicone epoxy blended with thermally conductive fillers.

## 18. (Cancelled)

- 19. (Original) The photonic device as set forth in claim 18 further comprising a phosphor layer disposed over the semiconductor device between the spacing element and the means for affixing the semiconductor device.
- 20. (New) The solid state lamp of claim 1, wherein said mounting area comprises a metal cup.
- 21. (New) The photonic device of claim 14 wherein said mounting area comprises a metal cup.